

BIRDS SEEN KIMBERLEY COASTAL WALK MARCH/APRIL 2009 and
2011 total 132 species.

Silver Gull
Crested Tern
Caspian Tern
Great Egret
Intermediate Egret
Little Egret
Osprey
Jabiru
Lesser Sandplover
Red capped Dotterel
Greenshank
Beach Stone Curlew*
Bush Stone Curlew*
Bar Breasted Honeyeater-> 10 active nests seen on trip
Rainbow Bee Eater
Pied Butcherbird
Little Cuckoo Shrike
Black faced cuckoo shrike
White Gaped Honeyeater
White Rumped Miner
Brown Honeyeater
Weebill
Striated Pardalote
Red Browed Pardalote
Pheasant Coucal
Silver Crowned Friarbird
Little Friarbird
Diamond Dove
Peaceful Dove
Bar Shouldered Dove
White Throated Honeyeater
White Quilled Rock Pigeon
Masked Woodswallow
Black faced woodswallow
Black Bittern
Dollarbird
Little Woodswallow
Banded Honeyeater
Rufous Throated Honeyeater
Yellow Tinted Honeyeater
Sacred Kingfisher
Willie Wagtail
Brolga
Brown Falcon
Rufous Songlark
Red Backed Fairy Wren

Rufous Whistler
Long tailed finch
Double Barred Finch
Crimson Finch
Whistling Kite
Zitting Cisticola*
Golden Headed Cisticola
Singing Bushlark
Tree Martin
Welcome Swallow
Blue Faced Honeyeater
Blue Winged Kookaburra
Sulphur Crested Cockatoo
Little Corella
White Faced Heron
Brush Cuckoo
Immature Pallid Cuckoo
Galah
Spinifex Pigeon
Magpie Lark
Wedgetailed Eagle
Varied Sitella- race Leucoptera- seen carrying something in mouth-probable
nesting/courting-didn't have time to check out
Olive Backed Oriole
Singing Honeyeater
Azure Kingfisher
Boobook
Bustard
Collared Sparrowhawk
Australian Goshawk
Grey Crowned Babbler
Northern Fantail
White Breasted Woodswallow
Black Fronted Dotterel- two sightings, one of bird nesting on shingle near
Drysdale River- bird engaged in distraction display
Grey Shrike Thrush
Great Bowerbird
Variegated Fairy Wren-not able to assign to race rogersi or dulci.
Description:blue crown, blue tail, white face to above eye, red around eye-seen at
Casuarina Creek near Berkeley River
Nankeen Kestrel
Eastern Reef Egret(white morph)
Fairy martin
Sooty Oystercatcher
Peregrine Falcon
Australian Hobby
Striated Heron
Jacky Winter
Leaden Flycatcher
Horsefields Bronze Cuckoo

Northern Rosella*

Owlet Nightjar*

King Quail*

White Throated Gerygone – immature bird-doesn't fit description in Pizzey.

Description from notes taken at the time: completely yellow underneath to vent from above eye and lores- white subterminal tail band underneath tail.

Black/grey on back. Smaller than Jacky Winter-did not call, spent time of observation gleaning insects from leaves.

Tawny Frogmouth-flushed many, sometimes from rocks, not only trees. Birds would flush when observer 10 -20 metres away

Brahminy Kite

Sandstone Shrike Thrush

Common Sandpiper

Black Faced Cuckoo Shrike

White Winged Triller

Square Tailed Kite

Darter

Brown Quail

Grey butcherbird-silver backed form, has the harsh call of southern bird but also striking melodious call

Red Chested Button Quail*

Chestnut Backed Button Quail*

Wandering Whistling Duck

Little Eagle

Masked Plover nominate race

Sacred Ibis

Red winged parrot

Pied Heron

Royal Spoonbill

Rainbow lorikeet

Varied Lorikeet

Red tailed black cockatoo

Common bronzewing

Torresian Crow

Black Kite

White Bellied Sea Eagle

Sandstone shrike thrush

Spine tailed swift

Red backed kingfisher

Red backed button quail*

Lesser Frigatebird

Great Billed Heron*

Great Pied Cormorant

Tree martin

Buff sided robin*

Chestnut breasted manikin